



2014.05.30





REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3300002:00</b> 33.0000.200	CLEANING BRUSH	Cleaning brush Valid for all the serial numbers	
<b>S3310010:00</b> 33.1001.000	MX FEEDER DOOR	MX Graphite colour Feeder door Valid for all the serial numbers	
<b>S3310020:00</b> 33.1002.000	MX FEEDER COUNTERWEIGHT	MX counterweight Valid for all the serial numbers	
<b>S3310030:00</b> 33.1003.000	MX FEEDER DISPENSER	MX Graphite colour Dispenser Valid for all the serial numbers	
<b>S3310040:00</b> 33.1004.000	MX FEEDER RAMP	MX Graphite colour feeder ramp Valid for all the serial numbers	
<b>S3310050:00</b> 33.1005.000	MX SUPPORT PIVOT	MX Support pivot For machines with serial number previous to 333374	
<b>S3310051:00</b> 33.1005.100	MX 2.0 SUPPORT PIVOT	MX Support pivot V 2.0 For machines with serial number subsequent to 333375	
<b>S3310060:00</b> 33.1006.000	MX FRONTAL COVER	MX Front cover Valid for all the serial numbers	
<b>S3310070:00</b> 33.1007.000	MX JUICE TRAY	MX Graphite colour Juice tray For machines with serial number previous to 391809	



REF. DESCRIPTION COMPOSITION FOTO			
KEF.	DESCRIPTION	COMPOSITION	FUIU
<b>S3310110:00</b> 33.1011.000	MX DRIP TRAY	MX Graphite colour drip tray Valid for all the serial numbers	
<b>S3310150:01</b> 33.1015.001	MX UPPER PRESSING UNIT	MX Upper plastic pressing unit Valid for all the serial numbers	
<b>S3310160:00</b> 33.1016.000	MX SUPPORT PIVOT SHAFT	MX Support pivot shaft + DIN 6798A Washer + DIN 934 Nut + DIN 127 Washer For machines with serial number previous to 333374 ** Until finish the stock - Alternative references S3310161: 00 (current support pivot shaft) + S3310051: 00 (current support pivot)	°°°
<b>S3310161:00</b> 33.1016.100	MX 2.0 SUPPORT PIVOT SHAFT	MX Support pivot shaft + DIN 439 MF Nut + DIN 127 Washer For machines with serial number subsequent to 333375	• •
<b>S3310170:00</b> 33.1017.000	MX COVER BASE	Mx cover base + Mx feet (4units) + Din 934 Nut (4units) + GPN 300 Plastic Plug (4units) Valid for all the serial numbers	
<b>S3310211:00</b> 33.1021.100	MX FAUCET O-RING	Mx V 2.0 Silicone faucet O-ring For machines with serial number previous to 391809	
<b>S3310240:00</b> 33.1024.000	MX REDUCER MOTOR	MX motor reducer + Connection female (2units) + Connector pin Valid for all the serial numbers	
<b>S3310250:00</b> 33.1025.000	MX MAIN CONTROL BOARD	Mx Main board + Plastic bridle + ESP Screw Heyco (2units) + DIN 912 Screw + DIN 985 Nut + DIN 6798A Washer Valid for machines with serial number previous to 417579	
<b>S3310251:00</b> 33.1025.100	MX MAIN CONTROL BOARD AND FILTER	Mx Main board + Plastic bridle + Filter + ESP Screw Heyco (2units) + DIN 912 Screw + DIN 985 Nut + DIN 6798A Washer For machines with serial number subsequent to 417579 ** Valid for machines with serial number between 391808 and 417578, removing the filter \$3310740: 00.	



MINEX

REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3310260:00</b> 33.1026.000	MX DISPENSER DRIVER	MX inner drive + Mx extern drive + spring drive + DIN 934 nut + DIN 125 Washer + Silicone joint (2units) Valid for all the serial numbers	
<b>S3310270:00</b> 33.1027.000	MX TWIRLER BLADE ROTOR SHAFT	Rotor shaft + Screw DIN 7985 + Washer DIN 125 + O-ring + Seal washer + Bearing 6802 2RS s.s (2units) + MX Spacer + Weight adhesive For serial numbers previous to 391809, in serial numbers previous to 333374 use the reference S3310440: 00	
<b>S3310280:00</b> 33.1028.000	MX WEIGHT	MX Weight + Weight adhesive For machines with serial number previous to 391809	
<b>S3310290:00</b> 33.1029.000	MX COUNTERWEIGTH BELT	MX Belt weight For machines with serial number previous to 391809	
<b>S3310291:00</b> 33.1029.100	MX ROCKER ARM BELT	Mx Rocker arm belt Valid for all the serial numbers	
<b>S3310300:01</b> 33.1030.001	MX ROCKET ARM	MX Rocker arm + Washer DIN 125 + RFX 81T screw Valid for all the serial numbers	
<b>S3310310:00</b> 33.1031.000	MX FRONT COVER LOCK BRACKET	MX lock Bracket Valid for machines with serial number previous to 415058	
<b>S3310310:01</b> 33.1031.001	MX FRONT COVER LOCK BRACKET	MX Graphite colour Bracket + DIN 7981B Screw (2units) Valid for machines with serial number subsequent to 415057 ** Posibility to use in machines with previous serial number placing the microswitch in the lower hole.	
<b>S3310320:00</b> 33.1032.000	MX TWIRLER BLADE BRACKET	MX Graphite colour Fix blade bracket + Screws DIN 7981 B (3units) For machines with serial number subsequent to 333374, on machines with serial number previous to 333374 use the alternative reference S3310440: 00	

**z**ůmex-



REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3310330:00</b> 33.1033.000	MX KEYBOARD MODULE	MX Keyboard module + Keyboard Bus Valid for all the serial numbers	
<b>S3310340:00</b> 33.1034.000	MX PLASTIC FRAME MODULE	Frame + Door shaft (2units) + S.S front + Peel ejec. pivot holder (2units) + Expander (12units) + Fix blade bracket + DIN 7981 Screw (3units) + Wire fastener + RFX 81T Screw (2units) + Wire feeder arm set + Wire guide tube For serial numbers previous to 391809 **Spare part sold with identification label and on request. INDISPENSABLE SEND THE SERIAL NUMBER	
<b>S3310341:00</b> 33.1034.100	MX PLASTIC FRAME MODULE (SPRING)	Frame + Door shaft (2units) + S.S front + Peel ejec. pivot holder (2units) + Expander (12units) + Fix blade bracket + DIN 7981 Screw (3units) + Wire fastener + RFX 81T Screw (2units) + Wire feeder arm set + Wire guide tube + Specific grease Serial numbers subsequent to 391809 **Spare part sold with identification label and on request. INDISPENSABLE SEND THE SERIAL NUMBER	
<b>S3310390:00</b> 33.1039.000	MX BLADE BLOCK	MX Blade blockage For machines with serial number subsequent to 333375	
<b>S3310400:01</b> 33.1040.001	MX TWIRLER BLADE	MX Stainless Steel twirler blade For machines with serial number subsequent to 333375	
<b>S3310410:01</b> 33.1041.001	MX TWIRLER BLADE HOLDER	MX Twirler blade holder For machines with serial number subsequent to 333375	
<b>S3310420:00</b> 33.1042.000	MX LOCK KIT	MX Plastic cover lock + Lock base + RFX 81T Screw (2units) Suitable for machines with serial number subsequent to 333377	
<b>S3310430:00</b> 33.1043.000	MX SILICON SHAFT FASTENERS (2uts)	MX Silicone shaft fastener (2units) Valid for all the serial numbers	66
<b>S3310440:00</b> 33.1044.000	MX BLADE UPDATING KIT	MX Twirler blade holder + Stainless steel twirler blade + MX Graphite colour Fix blade bracket + Blade blockage + Kit twirler blade rotor shaft To update machines until serial number 333374	~~



REF. DESCRIPTION COMPOSITION FOTO			
KEF.	DESCRIPTION	COMPOSITION	FUIU
<b>S3310450:00</b> 33.1045.000	МХ ТАР	MX Faucet push + Push spring + Graphite colour Faucet piston + Silicone O- ring For machines with serial number previous to 391809	
<b>S3310460:01</b> 33.1046.001	MX KEYBOARD COVER	MX Keyboard cover + ON/OF Button + O-ring thread + DIN 125 Washer (3units) + Silicone joint (3units) + RFX 81T Screw (3units) Valid for all the serial numbers	
<b>S3310470:00</b> 33.1047.000	MX WIRE FEEDER-ROCKER ARM	MX Stainless Steel Wire + Setscrew + Plastic cover + Silicone joint (2units) + DIN 934 Nut (2units) + Retaining wire sheet + RFX 81T Screw (2units) Valid for all the serial numbers)	entre entre
<b>S3310480:00</b> 33.1048.000	MX GEAR LEVY	MX Gear levy Valid for all the serial numbers	
<b>S3310490:00</b> 33.1049.000	MX POSITION MODULE	MX Position module + Position module bus Valid for all the serial numbers	
<b>S3310500:00</b> 33.1050.000	MX FEEDER BARRIER MODULE	MX Feeder barrier module + Feeder barrier module bus For machines with serial number previous to 391809	
<b>S3310502:00</b> 33.1050.101	MX FEEDER BARRIER BUS	Barrier board-power board BUS MX For machines with serial number subsequent to 391809	
<b>S3310510:00</b> 33.1051.000	MX REAR COVER	MX Graphite colour Rear cover Valid for all the serial numbers	
<b>S3310520:00</b> 33.1052.000	MX BUS MODULE POWER- CONTROL	Main board to Keyboard module bus Valid for machines with serial number subsequent to 342019	



RFF	REF. DESCRIPTION COMPOSITION FOTO		
			1010
<b>S3310530:00</b> 33.1053.000	MX BUS MODULE POWER-FEEDER BARRIER	Main board to Feeder barrier module bus Valid for machines with serial number subsequent to 342019	
<b>S3310540:00</b> 33.1054.000	MX BUS MODULE POWER- POSITION	Main board to Position module bus Valid for machines with serial number subsequent to 342019	5
<b>S3310550:00</b> 33.1055.000	MX SECURITY MICRO-SWITCH	MX Secudity micro-switch + Pin fast-on Valid for all the serial numbers	
<b>S3310560:00</b> 33.1056.000	MX PEELS DEPOSIT SENSOR	MX Double magnetic detector + Silicone joint + DIN 934 Nylon nut Valid for all the serial numbers	
<b>S3310580:00</b> 33.1058.000	MX ROTOR	Mx Twirler blade rotor + DIN 7985 + DIN 125 Washer Valid for all the serial numbers	
<b>S3310590:00</b> 33.1059.000	MX IEC SOCKET BASE	IEC Socket base + Fuse (2units) + Bridge wire (2units) Valid for all the serial numbers	
<b>S3310620:00</b> 33.1062.000	MX 2.0 JUICE CONTAINER FILTER	MX Juice container filter Assembled in machines with serial number subsequent to 391809 and valid for all the serial numbers.	
<b>S3310630:00</b> 33.1063.000	MX 2.0 JUICE CONTAINER	MX V 3.0 Juice container For machines with serial number subsequent to 391809 and valid to update machines with serial number subsequent to 382339	
<b>S3310640:00</b> 33.1064.000	MX 2.0 TAP	Mx V 3.0 Faucet with joint For machines with serial number subsequent to 391809 and valid to update machines with serial number subsequent to 382339	



REF. DESCRIPTION COMPOSITION FOTO			
REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3310650:00</b> 33.1065.000	MX 2.0 ROTOR SHAFT GREASE	Round jar + Rotor shaft specific grease For machines with serial number subsequent to 391809	
<b>S3310660:00</b> 33.1066.000	MX 2.0 FAUCET SEAL	V 3.0 Juice in-out joint For machines with serial number subsequent to 391809 and valid to update machines with serial number subsequent to 382339	
<b>S3310670:00</b> 33.1067.000	MX 2.0 TENSION SPRING	Rotor shaft spring + MX Belt bridle + MX weight belt + DIN 912 Screw + DIN 6798A Washer For machines with serial number subsequent to 391809	
<b>S3310680:00</b> 33.1068.000	MX 2.0 ROTOR SHAFT	Rotor shaft MX V 3.0 + Screw DIN 7985 + Washer DIN 125 + Bearing 6802 2RS S.S (2units) + MX Bearings spacer + Rotor Shaft specific grease For machines with serial number subsequent to 391809	~·0000
<b>S3310690:00</b> 33.1069.000	MX UPDATE KIT	ASP Upper presing unit + ASP Lower presing unit + Support pivot + Blade block + Twirler blade holder + S.S Twirler blade + ASP Left peel ejector + Securing knob (2units) + Silicone joint (2units) + ASP Label For machines with serial number subsequent to 333375	
<b>S3310700:00</b> 33.1070.000	MX GEAR CASE MOUNTING TOOL	MX Gear case mounting tool (2units) This tool is used to facilitate the assembly of gear case and the fasteners in the frame	
<b>S3310710:00</b> 33.1071.000	MX POSITION MODULE BRACKET	DIN 439 Nut + DIN 125 Washer + Cable guide + Mx Feeder system Metallic PCB + DIN 6798 Washer + DIN 934 Nut (2units) + Din 7984 Screw (2units) For machines with serial number subsequent to 391809	1000
<b>S3310720:00</b> 33.1072.000	MX FOOT	MX Foot Valid for all the serial numbers	
<b>S3310730:00</b> 33.1073.000	MX SCHUKO POWER SUPPLY CABLE	Mx Schuko 90° Power supply cable Valid for all the serial numbers	



REF.	DESCRIPTION	COMPOSITION	FOTO
I\LI .	DESCRIPTION	COMPOSITION	1010
<b>S3310731:00</b> 33.1073.100	MX POWER SUPPLY CABLE UL	Schuko 90° UL Power supply cable Valid for all the serial numbers	Q
<b>S3310732:00</b> 33.1073.200	MX POWER SUPPLY CABLE GB	Mx Schuko 90° GB Power supply cable Valid for all the serial numbers	
<b>S3310733:00</b> 33.1073.300	MX POWER SUPPLY CABLE AUS	Schuko 90° AUS Power supply cable Valid for all the serial numbers	
<b>S3310740:00</b> 33.1074.000	MX MAIN BOARD FILTER	Mx Main board wires and filter Valid for machines with serial numbers previous to 417579	
<b>S3310760:00</b> 33.1076.000	MX GEARBOX GROUP	Gear case + Motor + DIN 912 Scr. (3units) + Sec. Ring E30 DIN 471 (2units) + Sec. Ring E35 DIN 471 (2units) + 6007 Bea. (2units) + Big gear + Small gear + Gear levy + 61904 Bea. 2RS (2units) + Lower shaft + Upper shaft + Eight reinforc. + DIN 125 Washer (4units) + DIN 127 Washer (4units) + DIN 912 Screw (4units) + Box cover + Heyco Scr. (4units) Valid for all the serial numbers	
<b>S3310770:00</b> 33.1077.000	MX SUPPORT-BEARING KIT	Bearing 6007 2RS (2units) + MX eight support + DIN 471 E-35 seg ring (2units) + DIN 471 E-30 seg ring (2units) + 61904 2RS Bearings (2units) Valid for all the serial numbers	
<b>S3310780:00</b> 33.1078.000	MX BIG PLASTIC GEAR	Mx Big plastic gear Valid for all the serial numbers	63
<b>S3310790:00</b> 33.1079.000	MX SMALL PLASTIC GEAR	Mx small plastic gear Valid for all the serial numbers	
<b>\$3310800:00</b> 33.1080.000	MX LOWER PLASTIC PRESSING UNIT	Mx Lower plastic pressing unit Valid for all the serial numbers	



REF.	DESCRIPTION	COMPOSITION	FOTO
<b>S3310810:00</b> 33.1081.000	MX LEFT PEEL EJECTOR	Left peel ejector Valid for all the serial numbers	
<b>S3310820:00</b> 33.1082.000	MX SECURING KNOBS (2uts)	Securing knob (2units) + Silicone joint (2units) Valid for all the serial numbers	
<b>S3310830:00</b> 33.1083.000	MX PEEL EJECTORS PIVOT HOLDERS (2uts)	Peel ejector pivot holder (2units) Valid for all the serial numbers	
<b>S3310840:00</b> 33.1084.000	MX COMPONENTS	Mx SNACAP Washer (4units) + DIN 7991 Screw (4units) + Mx Black SNAPCAP PLUG (4units) + Expansible thread DRR011 (2units) Valid for all the serial numbers	
<b>S3310841:00</b> 33.1084.100	MX FRONT COVER EXPANDER	Heyco Expander (12units) Valid for all the serial numbers	
<b>S3310850:00</b> 33.1085.000	MX PLASTIC HINGES	MX B Hinge + Mx A Hinge Valid for all the serial numbers	
<b>S3310860:00</b> 33.1086.000	MX UPPER PRESSING SHAFT	Mx upper pressing shaft + Bolt 10 x 8 x 25 Valid for all the serial numbers	
<b>S3310870:00</b> 33.1087.000	MX LOWER PRESSING SHAFT	Mx lower pressing shaft + Bolt 10 x 8 x 25 Valid for all the serial numbers	
<b>S3310880:00</b> 33.1088.000	MX WEIGHT INOX FRONT	Mx weight inox front + Mx expansible thread heyco (11units) For machines with serial number previous to 391809	



REF.	DESCRIPTION	COMPOSITION	FOTO
	- -	-	
<b>S3310881:00</b> 33.1088.100	MX SPRING INOX FRONT	Mx spring inox front + Mx expansible thread heyco (11units) For machines with serial number subsecuent to 391809	
<b>S3310890:00</b> 33.1089.000	MX DOOR SHAFT (2uts)	Mx door shaft (2units) Valid for all the serial numbers	•
<b>S3310900:00</b> 33.1090.000	MX PARALEL BOLT	Mx paralel bolt For machines with serial number previous to 343207	
<b>S3310901:00</b> 33.1090.100	MX DISC BOLT	Mx disc bolt For machines with serial number subsecuent to 343207	
S3310910:00	MX ELECTRONIC BOX COVER	MX Electronic box cover + Esp HEYCO Screw (4units) For machines with serial number subsequent to 343207, or with the gearbox reference 33.1076.000 installed	

04919:00 ORANGE 34.3093.000 COLOR KIT ORANGE	Jar MX Orange + Peel bucket MX Orange Valid for all the serial numbers ** For the rest of colours check the accessories catalogue	
---	---	--



# WARRANTY SPARE PARTS

Thank you for purchasing an original ZUMEX spare part. We hope that our spare part will adapt perfectly to your needs and that it will work properly and for a long time.

The ZUMEX original spare parts are the same as those used in our equipment. They are submitted to the same quality controls as the original components installed in your equipment, satisfying the strictest regulatory requirements to guarantee the quality and safety of the spares.



\* See the range of certified products.

The warranty terms and conditions corresponding to your purchase of an original ZUMEX spare part are described in this document.

#### **Basic Warranty Conditions**

ZUMEX guarantees the excellent quality of the original ZUMEX spare part you have purchased new and that it will be in good working order for 6 months as from the purchase date. This warranty exclusively covers ZUMEX original spare parts.

Please read this document carefully and if you have any doubts, please contact us at www.zumex.com.

#### What does the warranty cover?

This warranty comprises the right to replace the ZUMEX original spare part purchased new by you from ZUMEX GROUP S.A. free of charge, if such spare should have a manufacturing or assembly defect or operating fault, so long as this is due to a manufacturing fault that represents a deficiency in its normal operation. It shall not cover a refund of the purchase price under any circumstances.

ZUMEX may ask you, at any time, to send the faulty part whose replacement you are requesting, in order for ZUMEX to verify the defect. Its shipment will be a compulsory requirement for the validity of this warranty. If it is indeed a manufacturing defect, the part will be replaced and the costs derived from this process will be assumed by ZUMEX.

For this ZUMEX warranty to become effective, you must provide proof of the date of purchase of the ZUMEX original spare part, via the relative purchase invoice.

#### What does the warranty not cover?

Given that ZUMEX, as manufacturer of the original spare part, cannot assume responsibility for certain aspects not related to our activity, there are certain faults and damage that this warranty cannot cover.

Please inspect the state of the ZUMEX original spare part purchased on delivery, and check that it is the right one before installing it. Remember that a bad diagnosis may cause the spare part purchased not to work correctly or the incorrect operation of the equipment. Any flaw, damage or operating deficiency, caused by mistakes in selecting the spare part, by inadequate installation or improper use of the spare part, will result in the loss of coverage of this warranty and of the warranty of the equipment that this spare part is installed in.

If you do not send the faulty part when requested by ZUMEX to verify the defect, this warranty will lose its validity.

In any case, the following are excluded from the coverage of this warranty:

. The service provision (travel), manpower and transport concepts, which may possibly arise in those cases deemed appropriate by ZUMEX.

.Faults or damages caused to the spare part, not attributable to its design or manufacture, but caused by external conditions, flaws caused by knocks or impacts, damage due to climate conditions or other natural phenomena, as well as external influences such as voltage and/or pressure surges.

• Faults or damage to the spare part caused by improper use or use contrary to the purpose defined by the manufacturer, due improper handling, to the use of inappropriate chemical agents or washing products, to damage caused by chemi-cal or electrochemical effects of the water, as well as due to incorrect installation or assembly, due to general unusual environmental conditions or to improper maintenance of the equipment, due to failure to observe the care and cleaning

. Replacement or repair of parts affected by wear, included in the normal maintenance and cleaning of the equipment; and those that the manufacturer recommends should be replaced within a specific period of time or number of work cycles.

. Replacement or repair of fragile parts (for example wedges, handles, covers, containers, spouts, etc.) when their fault or breakage is not attributable to a manufacturing defect.

Finally, the warranty would be cancelled if the spare part is installed in equipment in which non-original ZUMEX parts are also installed or additional parts or accessories that are not ZUMEX originals are used.

#### Important

To be entitled to this warranty, it will be essential to provide ZUMEX GROUP S.A. with proof of the date of receipt of the new original ZUMEX spare part by you, by providing the purchase invoice. Please keep the purchase invoice.

Except for the express warranties set forth above, ZUMEX grants no other warranties, express or implied, by statute or otherwise, regarding the product, fitness for any purpose or otherwise. To the extent that permitted by the local laws, ZUMEX shall not be liable for the any defect, inconvenience, loss or any other consequential damage, arising out of the use, or inability to use the product or breach of any express or implied warranty.

Welcome to ZUMEX, we hope you will enjoy your products.

\*Warranty terms applicable to products sold after 01/01/2014.

zumex@zumex.com www.zumex.com