


SPEED

Speed Self-Service, Tank, Cooler, Digital, Coin, Z-24, Z-28, Z-32, Z-38, Z-56

SPARE PARTS CATALOGUE




2014.05.28





SPEED

REF.	DESCRIPTION	COMPOSITION	FOTO
S3300000:00 <i>33.0000.000</i>	FASTENER SUPPORT CAPS	Fastener support cap (16units) For machines with serial number subsequent to 218197. Caps used aswel in reference S3300100: 00	
S3300002:00 <i>33.0000.200</i>	CLEANING BRUSH	Cleaning brush Valid for all the serial numbers	
S3300010:02 <i>33.0001.002</i>	RIGHT PEEL EJECTOR	Asp right peel ejector For machines with serial number subsequent to 207530	
S3300020:02 <i>33.0002.002</i>	LEFT PEEL EJECTOR	Asp left peel ejector For machines with serial number subsequent to 207530	
S3300035:00 <i>33.0003.500</i>	ASP PEEL EJECTORS KIT	Asp left peel ejector + ASP right peel ejector For machines with serial number subsequent to 207530	
S3300040:00 <i>33.0004.000</i>	PLASTIC RETAINING KNOB (2uts)	Plastic retaining knob (2units) Valid for all the serial numbers	
S3300041:00	SPEED PRO RETAINING KNOB	Speed PRO retaining knob Valid for Speed PRO	
S3300050:00 <i>33.0005.000</i>	PEEL EJECTOR SHOVEL	Peel ejector shovel For machines with serial number previous to 207530	
S3300060:00 <i>33.0006.000</i>	PEEL EJECTORS PIVOT HOLDERS (2uts)	Peel ejector pivot holder (2units) For machines with serial number subsequent to 207530	



SPEED

REF.	DESCRIPTION	COMPOSITION	FOTO
S3300100:00 33.0010.000	FASTENER W/SCREWS v2.0	Fastener holder + Fastener with stainless steel spring + Silicone joint + Cap (4units) + DIN 912 screw (4units) For machines with serial number subsequent to 218197	
S3300110:00 33.0011.000	6007 2RS BEARINGS (2uts)	Bearing 6007 2RS (2units) Valid for all the serial numbers	
S3300120:00 33.0012.000	BLADE HOLDER v1.0	Blade holder V 1.0 For machines with serial number previous to 207530	
S3300130:01 33.0013.001	ASP BLADE HOLDER V2.2	Asp blade holder V 2.1 For machines with serial number subsequent to 207530	
S3300150:00 33.0015.000	JUICERS SEEGER RING KIT	Security ring (4units) Valid for all the serial numbers	
S3300240:01 33.0024.001	ASP UPPER PRESSING UNIT (2uts)	Asp upper plastic pressing (2units) Valid for all the serial numbers	
S3300242:00 33.0024.200	ASP KIT 65 UPPER PLASTIC PRESSING UNIT (2uts)	Asp Kit 65 upper plastic pressing (2units) Valid for all the serial numbers	
S3300250:00 33.0025.000	BEARINGS SEPARATOR KIT	Internal separator (4units) Valid for all the serial numbers	
S3300260:00 33.0026.000	SPEED BASE RUBBER	Base rubber Valid for all the serial numbers	

SPEED

REF.	DESCRIPTION	COMPOSITION	FOTO
S3300270:00 33.0027.000	40X62X7DL FASTENER WITH SPRING	Fastener 40x62x7DL with stainless steel spring For machines with serial number between 163000 and 218924	
S3300310:01 33.0031.001	ASP LOWER PRESSING UNIT	Asp lower plastic pressing unit Valid for all the serial numbers	
S3300310:02 33.0031.002	ASP LOWER PRESSING UNIT (2uts)	Asp lower plastic pressing unit (2units) Valid for all the serial numbers	
S3300312:00 33.0031.200	ASP KIT 65 LOWER PLASTIC PRESSING UNIT (2uts)	Asp Kit 65 lower plastic pressing unit (2units) Valid for all the serial numbers	
S3300330:00 33.0033.000	SPEED FEEDER GEARING KIT	Compleat feeder gear box Valid for all the serial numbers ** In machines with serial numbers previous to 353371 the numbers 353375, 353376, 353377 included, assemble with the reference S3301080: 00	
S3300340:00 33.0034.000	SPEED FEEDER PLATE	Speed feeder plate Valid for all the serial numbers	
S3300350:00 33.0035.000	230V DIGITAL MODULE	Digital module 230V + 3V Lithium battery Valid for all the serial numbers **Until finish the stock, is replaced by reference S3301031: 00	
S3300380:00 33.0038.000	INCLINED LEFT P. EJECTOR KIT	Left support + Peel ejector shovel + DIN 933 (2units) + DIN 9021 Washer (2units) + DIN 1587 Nut (2units) For machines with serial number between 163000 and 207530	
S3300390:00 33.0039.000	INCLINED RIGHT P. EJECTOR KIT	Right support + Peel ejector shovel + DIN 933 (2units) + DIN 9021 Washer (2units) + DIN 1587 Nut (2units) For machines with serial number between 163000 and 207530	

SPEED

REF.	DESCRIPTION	COMPOSITION	FOTO
S3300410:00 33.0041.000	STRAIGHT PEEL EJECTOR KIT	Straight support + Peel ejector shovel + DIN 933 (2units) + DIN 9021 Washer (2units) + DIN 1587 Nut (2units) <i>For machines with serial number previous to 163000</i>	
S3300430:00 33.0043.000	ELECTRONIC MODULE ESS/VER ON/OFF 230V	220/240V Electronic module <i>Valid for all the serial numbers **Until finish the stock, is replaced by reference S3300431: 00</i>	
S3300431:00 33.0043.001	ELECTRONIC MODULE SPEED ON/OFF 230V	220/240V Electronic module (24V) <i>Valid for all the serial numbers</i>	
S3300440:00 33.0044.000	115V ON/OFF ELECTR. MODULE	115V Electronic module <i>Valid for all the serial numbers</i>	
S3300460:00 33.0046.000	115V UL DIGITAL MODULE	115V Digital module + 3V Lithium battery <i>Valid for all the serial numbers</i>	
S3300470:00 33.0047.000	230V FRESH CONTROL MODULE	230V Photocell control module <i>Valid for all the serial numbers</i>	
S3300480:00 33.0048.000	115V COOLER CONTROL MODULE	115V Photocell control module <i>Valid for all the serial numbers</i>	
S3300580:00 33.0058.000	STAINLESS STEEL BLADE YOKE KIT	Stainless steel blade yoke kit base + Blade rear side + Blade hinge + Blade holder V 2.1 + DIN 7991 Screw (2uds) <i>To update machine with serial number previous to 207530</i>	
S3300591:00 33.0059.100	BUTTON RUBBER PROTECTION ROUNDED	Button rubber protection <i>Only for machines with serial number subsequent to 382494 **For machines previous to this serial number must use the kit S3300850: 00</i>	



SPEED

REF.	DESCRIPTION	COMPOSITION	FOTO
S3300670:00 <i>33.0067.000</i>	SECURING KNOBS + RUBBER JOINT (2uts)	Securing knob (2units) + Silicone joint (2 units) <i>Valid for all the serial numbers</i>	
S3300680:00 <i>33.0068.000</i>	SPEED JUICE TRAY	Plastic juice container + Silicone profile <i>For machines with serial number subsequent to 207530</i>	
S3300680:01 <i>33.0068.001</i>	SPEED PRO JUICE TRAY	Speed PRO Basic Juice container + Gasket <i>Valid for Speed PRO Basic and Cooler model</i>	
S3300681:00 <i>33.0068.100</i>	SPEED SELF SERVICE JUICE TRAY	Stainless Steel juice tray frontal output + DIN 7991 Screw (4units) <i>For machines with serial number subsequent to 214370. Can be used for machines with serial number from 206462.</i>	
S3300682:00	SPEED PRO SELF SERVICE TRAY	Speed Pro Self Service juice container + Slider case <i>Valid for Speed PRO Self service model</i>	
S3300683:00	SPEED TANK PRO JUICE CONTAINER	Speed Pro Tank juice container <i>Valid for Speed PRO Tank model</i>	
S3300690:00 <i>33.0069.000</i>	SPEED STAINLESS STEEL BASE	Stainless steel classic base + GPN 300 Black cap + Base profile <i>Valid for all the serial numbers</i>	
S3300691:00 <i>33.0069.100</i>	SPEED PRO BASIC & SELF S. BASE	Speed Pro Basic and Self Service Stainless steel base + Juice container detector wall Bypass + Tap detector wall Bypass + Base profile <i>Valid for all the serial numbers of models Speed PRO Basic and Self Service</i>	
S3300692:00	SPEED PRO TANK & COOLER BASE	Speed Pro Tank and Cooler Stainless steel base + Juice container detector wall Bypass + Tap detector wall Bypass + Base profile <i>Valid for all the serial numbers of models Speed PRO Tank and Cooler</i>	

SPEED

REF.	DESCRIPTION	COMPOSITION	FOTO
S3300850:00 <i>33.0085.000</i>	ON/OFF SWITCH KIT	ON/OFF Switch + Silicone protector + NC/NO Switch body <i>Used in machines with serial number subsequent to 382494 and compatible with machines previous</i>	
S3300851:00	SPEED PRO SWITCH KIT	ON/OFF Switch with Led+ Silicone protector + NC/NO Switch body <i>Valid for Speed PRO machines</i>	
S3300860:00 <i>33.0086.000</i>	SELF SERVICE SELECTOR KIT	AUTO - O - MAN Label + 2 Positions switchboard + NC/NO Switch body <i>Valido para máquinas con número de serie posterior a 214242</i>	
S3300880:00 <i>33.0088.000</i>	SPEED SHAFT PLATE KIT	Plate shaft + fastener + Holder fastener + O-ring joint + Security ring DIN 472 + Bearing 6005 2RS (2uds) + Security ring DIN 471 <i>Valid for all the serial numbers</i>	
S3300890:00 <i>33.0089.000</i>	STAINLESS STEEL TAP FRONT PUSH UNIT	Front faucet push + Rear faucet push + Screw (2units) + Magnet <i>For machines with serial number subsequent to 206462</i>	
S3300891:00 <i>33.0089.100</i>	STAINLESS STEEL TAP FRONT SPRING	Frontal tap stainless steel spring <i>For machines model Speed Self service or Auto with serial number subsequent to 206462</i>	
S3300892:00 <i>33.0089.200</i>	STAINLESS STEEL TAP FRONT BOLTS	DIN 6325 3X8 Stainless Steel Bolt + DIN 6325 3X10 Stainless Steel Bolt <i>For machines model Speed Self service or Auto with serial number subsequent to 206462</i>	
S3300910:00 <i>33.0091.000</i>	SPEED FEEDER ELBOW	Feeder elbow D85 w/Block + DIN 916 Screw + Heyco M5 Cap <i>For machines with serial number subsequent to 200805</i>	
S3300911:00	SPEED PRO FEEDER ELBOW	Speed Pro feeder elbow <i>Valid for Speed PRO</i>	


SPEED

REF.	DESCRIPTION	COMPOSITION	FOTO
S3300912:00 <i>33.0091.200</i>	SPEED KIT 65 FEEDER ELBOW	Feeder elbow D65 w/Block + DIN 916 Screw + Heyco M5 Cap <i>For machines with serial number subsequent to 200805</i>	
S3300960:00 <i>33.0096.000</i>	SPEED JUICE TRAY FILTER	Speed Plastic juice filter v.1.1 <i>For machines with serial number subsequent to 207530</i>	
S3300961:00 <i>33.0096.100</i>	SPEED SELF SERVICE JUICE TRAY FILTER	Speed Self Serv. juice filter "W" diameter 4mm <i>Valid for all the serial numbers</i>	
S3300962:00	SPEED PRO SELF SER. JUICE TRAY FILTER	Speed Pro Sweeper juice filter + Speed Pro Filter rod + Speed Pro Filter lock + Speed Pro sweeper latch + Speed Pro Filter right limit + O-ring + DIN 965 Screw <i>Valid for Speed PRO Tank, Self service y Cooler models</i>	
S3300970:00 <i>33.0097.000</i>	SPEED JUICE TRAY INNER FILTER	Speed Plastic inner filter <i>For machines with serial number subsequent to 207530</i>	
S3300971:00 <i>33.0097.100</i>	SPEED SELF SERVICE INNER FILTER	Speed Self Serv. Inner filter <i>For machines with serial number subsequent to 214370. Can be used for machines with serial number from 206462.</i>	
S3300972:00	SPEED PRO INNER FILTER	Speed Pro Inner filter <i>Valid for Speed PRO Tank, Self service y Cooler models</i>	
S3300980:00 <i>33.0098.000</i>	SPEED FEEDER BASKET	Speed feeder basket <i>Valid for all the serial numbers</i>	
S3300981:00	SPEED PRO FEEDER BASKET	Speed Pro feeder basket <i>Valid for Speed PRO</i>	



SPEED

REF.	DESCRIPTION	COMPOSITION	FOTO
S3301030:00 33.0103.000	DIGITAL KEYBOARD KIT 230V	230V Digital keyboard module + Connection bus Valid for all the serial numbers previous to 418109 **Until finish the stock, is replaced by reference S3301031: 00. For machine subsequent to 418109 is replaced by reference S3301041: 00.	
S3301031:00 33.0103.100	DIGITAL MODULES 220V KIT	5V Digital keyboard module + Connection bus + Digital module 230V + 3V Lithium battery Valid for all the serial numbers	
S3301040:00 33.0104.000	DIGITAL KEYBOARD KIT 115V	115V Digital keyboard module + Connection bus Valid for all the serial numbers **Until finish the stock, is replaced by reference S3301041: 00	
S3301041:00 33.0104.100	DIGITAL KEYBOARD KIT 5V	5V Digital keyboard module + Connection bus Valid for all the serial numbers subsequent to 418109	
S3301070:00 33.0107.000	SPEED FEEDER GEARBOX UPDATE KIT	Complete gearbox shaft + Clasic feeder articulation assembled To update machines with serial number previous to 353371 included the numbers 353375, 353376 y 353377	
S3301080:00 33.0108.000	SPEED FEEDER ARTICULATION W/P	Clasic feeder articulation assembled For machines with serial number 353371, 353372, 353373, 353374, 353378 and subsequent, or machines updated with kit S3301070: 00	
S3301100:00 33.0110.000	230V JUICERS MOTOR	220/230V 0.4CV 50/60Hz Motor + Triple wall bypass + Female connection box + DIN 933 Screws (4units) + Triple cable gland Valid for all the serial numbers	
S3301110:00 33.0111.000	115V JUICERS MOTOR	120V 0.5CV 60Hz Motor + Triple wall bypass + Female connection box + DIN 933 Screws (4units) + Triple cable gland Valid for all the serial numbers	
S3301120:01 33.0112.001	MAGNET DETECTOR (24V)	L=600mm Magnetic detector + MFS Silicone joint + Flat joint + Nylon nut + Female connection box Valid for all the serial numbers	

SPEED

REF.	DESCRIPTION	COMPOSITION	FOTO
S3301121:00	SPEED PRO TAP DETECTOR	Speed PRO tap detector + Gasket <i>Valid for Speed Pro Self service model</i>	
S3301130:00 <i>33.0113.000</i>	MAGNET DETECTOR 1000mm	L=1000mm Magnetic detector + Nylon nut + Female fast-on (2units) + Terminal point <i>Valid for all the serial numbers</i>	
S3301131:00	SPEED PRO FRONT COVER DETECTORS	Speed Pro front cover detectors <i>Valid for Speed PRO</i>	
S3301140:00 <i>33.0114.000</i>	MECHANICAL SWITCH BUS	Mechanical switch bus <i>Valid for all the serial numbers</i>	
S3301160:00 <i>33.0116.000</i>	DIGITAL KEYBOARD CONNECTION BUS	Digital keyboard connection bus <i>Valid for all the serial numbers</i>	
S3301161:00 <i>33.0116.100</i>	SPEED PRO KEYBOARD CONECTION BUS	Bus PCD -Speed PRO Keyboard <i>Valido para la Speed PRO</i>	
S3301210:00 <i>33.0121.000</i>	SPEED REDUCER 1:35	Reducer MVF 49F Rel.1:35 + DIN 933 Screw (4units) <i>For machines with serial number previous to 415632</i>	
S3301211:00 <i>33.0121.010</i>	SPEED REDUCER 1:30	Reducer MVF 49F Rel.1:30 + DIN 933 Screw (4units) <i>For machines with serial number subsequent to 415631</i>	
S3301230:00 <i>33.0123.000</i>	FRONT STAINLESS STEEL TAP	Frontal stainless steel faucet <i>For machines with serial number subsequent to 206462</i>	

SPEED

REF.	DESCRIPTION	COMPOSITION	FOTO
S3301231:00	SPEED PRO TAP	Speed PRO S.S tap + Speed PRO Tap Front faucet push + Speed PRO Rear faucet push + Screw (2units) + Magnet <i>Valid for Speed PRO Self Service model</i>	
S3301311:00	SPEED PRO KEYBOARD MODULE	Speed PRO Touchpad + Keyboard module + DIN 965 (6units) <i>Valid for Speed PRO</i>	
S3301371:00	SPEED PRO JUICE CONTAINER DETECTOR	Juice container Detector Speed Pro + Board connection wire <i>Valid for Speed PRO</i>	
S3301450:00 <i>33.0145.000</i>	ASP UPDATE KIT	ASP Upper pressing unit (2units) + ASP Lower pressing unit (2units) + ASP Right peel ejector + ASP Left peel ejector + ASP Blade holder V.2.1 ASP + Securing knob (4units) + Silicone joint (4units) + ASP Label <i>For machines with serial number subsequent to 207530</i>	
S3301460:00 <i>33.0146.000</i>	SPEED PEEL BUCKET (2uts)	Squared peel bucket Zumex Speed (2units) <i>Valid for all the serial numbers</i>	
S3301500:00 <i>33.0150.000</i>	SPEED FRONT COVER	Speed front cover graphite colour + Side outlet graphite colour (2 units) + Silicone profile <i>Assembled in machines with serial number subsequent to 411200. Valid to update the colour of any machine previous to this serial number. **Until finish the stock, is replaced by reference S3301500:01</i>	
S3301500:01 <i>33.0150.001</i>	SPEED FRONT COVER	Complete Speed front cover <i>Valid for all versions of Speed previous to Speed PRO. **Front cover with supplements to use with old system of knob</i>	
S3301501:00	SPEED FRONT COVER PRO	Speed PRO Front cover <i>Valid for Speed PRO</i>	
S3301511:00	SPEED PRO RIGHT SIDE OUTPUT	Speed PRO Front cover right side output <i>Valid for Speed PRO</i>	


SPEED

REF.	DESCRIPTION	COMPOSITION	FOTO
S3301512:00	SPEED PRO LEFT SIDE OUTPUT	Speed PRO Front cover left side output <i>Valid for Speed PRO</i>	
S3301585:00 <i>33.0158.500</i>	SPEED DIGITAL KEYBOARD COVER	Speed Digital keyboard cover v 2.1 <i>Valid for all the serial numbers</i>	
S3301586:00	SPEED PRO KEYBOARD COVER	Speed PRO Touchpad <i>Valid for Speed PRO</i>	
S3301600:00 <i>33.0160.000</i>	SPEED PLATE SHAFT - FASTENER SET	Fastener 50x62x7 + Feeder holder fastener + O-ring + DIN 7981B Screw (3units) <i>Valid for all the serial numbers</i>	
S3301610:00 <i>33.0161.000</i>	SHAFT REDUCER BOLT	Bolt 8x7x40 <i>Valid for all the serial numbers</i>	
S3301611:00 <i>33.0161.100</i>	SHAFT JUICER BOLT	Bolt 10x8x25 <i>Valid for all serial numbers</i>	
S3301630:00 <i>33.0163.000</i>	BLADE HOLDER SUPORT	Blade holder rear + Blade holder rod <i>For machines with serial number subsequent to 207530</i>	
S3301670:00 <i>33.0167.000</i>	LOWER PRESSING SHAFT	Metallic lower pressing shaft + Bolt 10x8x25 + DIN 472 Sec. Ring (2units) + 6007 Bearing 2RS (2units) + Inner separator + Gear Washer + DIN 127 Washer + DIN 912 Screw <i>Valid for all the serial numbers</i>	
S3301690:00 <i>33.0169.000</i>	UPPER PRESSING SHAFT	Metallic upper pressing shaft + Bolt 10x8x25 + DIN 472 Sec. Ring (2units) + 6007 Bearing 2RS (2units) + Inner separator + Gear Washer + DIN 127 Washer + DIN 912 Screw <i>Valid for all the serial numbers</i>	

SPEED

REF.	DESCRIPTION	COMPOSITION	FOTO
S3301710:00 33.0171.000	Z10 REDUCER SHAFT	Z10 Reducer shaft + Supplement + Bolt 8x7x40 + DIN 912 Screw + DIN 127 Washer + Gear washer <i>Valid for all the serial numbers</i>	
S3301711:00 33.0171.100	Z9 REDUCER SHAFT	Z9 Reducer shaft + Supplement + Bolt 8x7x40 + DIN 912 Screw + DIN 127 Washer + Gear washer <i>Valid for all the serial numbers</i>	
S3301712:00 33.0171.200	Z12 REDUCER SHAFT	Z12 Reducer shaft + Supplement + Bolt 8x7x40 + DIN 912 Screw + DIN 127 Washer + Gear washer <i>Valid for all the serial numbers</i>	
S3301720:00 33.0172.000	BOARD BOX	Board black box + Board box cover + Grey shock absorber (2units) + DIN 7981B Screw (2units) + Perfil semicircular <i>Valid for all the serial numbers</i>	
S3301730:00 33.0173.000	BIG PLASTIC GEAR	Big plastic gear <i>Valid for all the serial numbers</i>	
S3301740:00 33.0174.000	SMALL PLASTIC GEAR	Small plastic gear <i>Valid for all the serial numbers</i>	
S3301750:00 33.0175.000	SMALL METALLIC GEAR	Small metallic gear <i>Valid for all the serial numbers</i>	
S3301760:00 33.0176.000	SPEED DRIP TRAY	Speed drip tray <i>Valid for all the serial numbers</i>	
S3301770:00 33.0177.000	SPEED DRIP TRAY FILTER	Speed drip tray filter <i>Valid for all the serial numbers</i>	


SPEED

REF.	DESCRIPTION	COMPOSITION	FOTO
S3301780:00 <i>33.0178.000</i>	SPEED FEEDER SET	Speed feeder bayonet body + DIN 7991 Screw (2units) + Plate shaft + Fastener 50x62x7 + Feeder holder fastener + O-ring + Sec. Ring DIN 472 I-47 + Bearing 6005 2RS (2units) + Sec. Ring DIN 471 E-25 + DIN 7981B Screw (3units) <i>Valid for all the serial numbers</i>	
S3301781:00	SPEED PRO EW FEEDER SET	Speed Pro EW feeder bayonet body + DIN 933 Screw (2units) + Plate shaft + Fastener 50x62x7 + Feeder holder fastener + O-ring + Sec. Ring DIN 472 I-47 + Bearing 6005 2RS (2units) + Sec. Ring DIN 471 E-25 + DIN 7981B Screw (3units) <i>Valid for Speed PRO with Excess Water installed</i>	
S3301782:00	SPEED PRO FEEDER SET	Speed Pro feeder bayonet body + DIN 933 Screw (2units) + Plate shaft + Fastener 50x62x7 + Feeder holder fastener + O-ring + Sec. Ring DIN 472 I-47 + Bearing 6005 2RS (2units) + Sec. Ring DIN 471 E-25 + DIN 7981B Screw (3units) <i>Valid for Speed PRO without Excess Water installed</i>	
S3301790:00 <i>33.0179.000</i>	CAPACITOR 16uF MOTOR	Capacitor 16 uF 400V M8 <i>Valid for all the serial numbers only for 220v machines</i>	
S3301791:00 <i>33.0179.100</i>	CAPACITOR 65uF MOTOR	Capacitor 65 uF 400V M8 <i>Valid for all the serial numbers only for 115v machines</i>	
S3301800:00 <i>33.0180.000</i>	ASP D65 PEEL EJECTORS SET	ASP Right peel ejector + ASP Left peel ejector + Peel ejector Kit 65 supplement (2units) <i>For machines with serial number subsequent to 207530</i>	
S3301830:00 <i>33.0183.000</i>	SPEED STAINLESS REAR COVER	Stainless Steel rear cover + Protection profile + DIN 125 Washer (4units) + DIN 912 Screw (4units) + DIN 912 Screw (2units) + DIN 9021 Washer (2units) <i>Valid for all Speed models with feeder</i>	
S3301831:00	SPEED PRO REAR COVER	Speed PRO Stainless Steel rear cover + Protection profile + DIN 125 Washer (4units) + DIN 912 Screw (4units) + DIN 912 Screw (2units) + DIN 9021 Washer (2units) <i>Valid for all models with feeder</i>	
S3301840:00 <i>33.0184.000</i>	SPEED FRONT COVER SUPPORT	Front cover support <i>Valid for all the serial numbers</i>	





SPEED

REF.	DESCRIPTION	COMPOSITION	FOTO
S3301841:00	SPEED PRO FRONT COVER SUPPORT	Speed PRO Front cover support + Speed PRO cover retaining knob <i>Valid for Speed PRO</i>	
S3301850:00 <i>33.0185.000</i>	SPEED FEEDER SUPPORT	Feeder support + DIN 912 Screw (2units) + DIN 125 Washer (2units) <i>Valid for all models with feeder</i>	
S3301860:00 <i>33.0186.000</i>	SPEED UE CABLE	UE Cable W/Plug + Triple cable gland + Isolate round terminal + Male faston W/Retain + Female three way connection box + Male faston protector + Heyco press + Ground wire + DIN 7985 Screw + DIN 6798A Washer + Ferrite <i>Valid for all the serial numbers</i>	
S3301861:00 <i>33.0186.100</i>	SPEED GB CABLE	GB Cable W/Plug + Triple cable gland + Isolate round terminal + Male faston W/Retain + Female three way connection box + Male faston protector + Heyco press + Ground wire + DIN 7985 Screw + DIN 6798A Washer + Ferrite <i>Valid for all the serial numbers</i>	
S3301862:00 <i>33.0186.200</i>	SPEED UL/JAP CABLE	UL/JAP Cable W/Plug + Triple cable gland + Isolate round terminal + Male faston W/Retain + Female three way connection box + Male faston protector + Heyco press + Ground wire + DIN 7985 Screw + DIN 6798A Washer + Ferrite <i>Valid for all the serial numbers</i>	
S3301863:00 <i>33.0186.300</i>	SPEED AUS CABLE	AUS Cable W/Plug + Triple cable gland + Isolate round terminal + Male faston W/Retain + Female three way connection box + Male faston protector + Heyco press + Ground wire + DIN 7985 Screw + DIN 6798A Washer + Ferrite <i>Valid for all the serial numbers</i>	
S3301870:00 <i>33.0187.000</i>	SPEED STAINLESS FRONT COVER	Speed Stainless steel front cover <i>For machines with serial number subsequent to 218197</i>	
S3301871:00 <i>33.0187.100</i>	SPEED SELF SERV. STAINLESS FRONT COVER	Speed Self service Stainless steel front cover <i>For machines model Speed Self service or Auto with serial number subsequent to 218197</i>	
S3301872:00	SPEED PRO STAINLESS FRONT COVER	Speed PRO Stainless steel front cover <i>For machines Speed PRO</i>	

SPEED

REF.	DESCRIPTION	COMPOSITION	FOTO
S3301880:00 <i>33.0188.000</i>	SPEED SELF SERVICE ELEVATION BASE	Base elevation supplement <i>For machines model Speed Self service or Auto for countertop with serial number subsequent to 218197</i>	
S3301890:00 <i>33.0189.000</i>	SPEED DIG. KEYBOARD SUPPORT	Digital Keyboard box + Digital Keyboard box cover + DIN 912 Screw (4units) + Allen Cap M4 Grey (4units) + DIN 7991 Screw (4units) + DIN 7991 Screw (6units) + DIN 934 Nut (6units) + Separator Casing (6units) + Button cushion (7units) + GPN 270 Black cap (2units) <i>Valid for all te serial numbers</i>	
S3301910:00	SPEED PRO SOCKET BASE	Base IEC fuse + DIN 965 Screw (2units) + Fuse 5x20 10A (2units) <i>For Speed PRO machines</i>	
S3301920:00	SPEED PRO EU-IEC CABLE	Schuko 90° Power supply cable <i>Valid for Speed PRO</i>	
S3301921:00	SPEED PRO UL-IEC CABLE	Schuko 90° UL Power supply cable <i>Valid for Speed PRO</i>	
S3301922:00	SPEED PRO GB-IEC CABLE	Schuko 90° GB Power supply cable <i>Valid for Speed PRO</i>	
S3301923:00	SPEED PRO AUS-IEC CABLE	Schuko 90° AUS Power supply cable <i>Valid for Speed PRO</i>	
S3301930:00	SPEED PRO S.S TAP PUSH UNIT	Speed PRO Tap Front faucet push + Speed PRO Rear faucet push + Screw (2units) + Magnet <i>Valid for Speed PRO Self Service model</i>	
S3301931:00	SPEED PRO TAP SPRING	Speed PRO tap spring <i>Valid for Speed PRO Self Service model</i>	

SPEED

REF.	DESCRIPTION	COMPOSITION	FOTO
S3301932:00	SPEED PRO TAP BOLTS	Speed PRO tap bolts Valid for Speed PRO Self Service model	
S3301933:00	SPEED PRO TAP GASKETS	Speed PRO tap gaskets Valid for Speed PRO Self Service model	
S3301934:00	SPEED PRO FIXING RING	Speed PRO tap extender fix ring Valid for Speed PRO Self Service model	
S3301940:00	SPEED PRO SWEEPER BRUSH	Speed PRO Sweeper brush + Rod slider Valid for Speed PRO Tank, Self service y Cooler models	
S3301950:00	SPEED PRO BASIC ELECTRONIC MODULE	Speed Restyling Module 90-240V (Basic Configuration) Valid only for machines Speed PRO Basic	
S3301951:00	SPEED PRO SELF SERV. ELECTRONIC MODULE	Speed Restyling Module 90-240V (Self service Configuration) Valid only for machines Speed PRO Self service	
S3301952:00	SPEED PRO TANK ELECTRONIC MODULE	Speed Restyling Module 90-240V (Tank Configuration) Valid only for machines Speed PRO Tank Podium	
S3301953:00	SPEED PRO COOLER ELECTRONIC MODULE	Speed Restyling Module 90-240V (Cooler Configuration) Valid only for machines Speed PRO Cooler	
S3301960:00	SPEED PRO STAINLESS JUICE CONTAINER PROFILE	Juice container profile Valid for all the serial numbers of models Speed PRO Self service, Tank and Cooler	

SPEED

REF.	DESCRIPTION	COMPOSITION	FOTO
S3301970:00	SPEED PRO JUICE LEVEL SENSOR	Tank Cooler detector sheet + Tank Cooler detector gasket + Juice detector + Expander head (4units) + Heyco Expander (4units) <i>Valid for all Speed PRO models Tank y Cooler</i>	
S3301980:00	SPEED PRO IEC-MAINBOARD CABLE	IEC-Mainboard wire Speed PRO <i>Valid for all Speed PRO</i>	

Thank you for purchasing an original ZUMEX spare part. We hope that our spare part will adapt perfectly to your needs and that it will work properly and for a long time.

The ZUMEX original spare parts are the same as those used in our equipment. They are submitted to the same quality controls as the original components installed in your equipment, satisfying the strictest regulatory requirements to guarantee the quality and safety of the spares.



* See the range of certified products.

The warranty terms and conditions corresponding to your purchase of an original ZUMEX spare part are described in this document.

Basic Warranty Conditions

ZUMEX guarantees the excellent quality of the original ZUMEX spare part you have purchased new and that it will be in good working order for 6 months as from the purchase date. This warranty exclusively covers ZUMEX original spare parts.

Please read this document carefully and if you have any doubts, please contact us at www.zumex.com.

What does the warranty cover?

This warranty comprises the right to replace the ZUMEX original spare part purchased new by you from ZUMEX GROUP S.A. free of charge, if such spare should have a manufacturing or assembly defect or operating fault, so long as this is due to a manufacturing fault that represents a deficiency in its normal operation. It shall not cover a refund of the purchase price under any circumstances.

ZUMEX may ask you, at any time, to send the faulty part whose replacement you are requesting, in order for ZUMEX to verify the defect. Its shipment will be a compulsory requirement for the validity of this warranty. If it is indeed a manufacturing defect, the part will be replaced and the costs derived from this process will be assumed by ZUMEX.

For this ZUMEX warranty to become effective, you must provide proof of the date of purchase of the ZUMEX original spare part, via the relative purchase invoice.

What does the warranty not cover?

Given that ZUMEX, as manufacturer of the original spare part, cannot assume responsibility for certain aspects not related to our activity, there are certain faults and damage that this warranty cannot cover.

Please inspect the state of the ZUMEX original spare part purchased on delivery, and check that it is the right one before installing it. Remember that a bad diagnosis may cause the spare part purchased not to work correctly or the incorrect operation of the equipment. Any flaw, damage or operating deficiency, caused by mistakes in selecting the spare part, by inadequate installation or improper use of the spare part, will result in the loss of coverage of this warranty and of the warranty of the equipment that this spare part is installed in.

If you do not send the faulty part when requested by ZUMEX to verify the defect, this warranty will lose its validity.

In any case, the following are excluded from the coverage of this warranty:

- The service provision (travel), manpower and transport concepts, which may possibly arise in those cases deemed appropriate by ZUMEX.
- Faults or damages caused to the spare part, not attributable to its design or manufacture, but caused by external conditions, flaws caused by knocks or impacts, damage due to climate conditions or other natural phenomena, as well as external influences such as voltage and/or pressure surges.
- Faults or damage to the spare part caused by improper use or use contrary to the purpose defined by the manufacturer, due improper handling, to the use of inappropriate chemical agents or washing products, to damage caused by chemical or electrochemical effects of the water, as well as due to incorrect installation or assembly, due to general unusual environmental conditions or to improper maintenance of the equipment, due to failure to observe the care and cleaning
- Replacement or repair of parts affected by wear, included in the normal maintenance and cleaning of the equipment; and those that the manufacturer recommends should be replaced within a specific period of time or number of work cycles.
- Replacement or repair of fragile parts (for example wedges, handles, covers, containers, spouts, etc.) when their fault or breakage is not attributable to a manufacturing defect.

Finally, the warranty would be cancelled if the spare part is installed in equipment in which non-original ZUMEX parts are also installed or additional parts or accessories that are not ZUMEX originals are used.

Important

To be entitled to this warranty, it will be essential to provide ZUMEX GROUP S.A. with proof of the date of receipt of the new original ZUMEX spare part by you, by providing the purchase invoice. Please keep the purchase invoice.

Except for the express warranties set forth above, ZUMEX grants no other warranties, express or implied, by statute or otherwise, regarding the product, fitness for any purpose or otherwise. To the extent that permitted by the local laws, ZUMEX shall not be liable for the any defect, inconvenience, loss or any other consequential damage, arising out of the use, or inability to use the product or breach of any express or implied warranty.

Welcome to ZUMEX, we hope you will enjoy your products.

*Warranty terms applicable to products sold after 01/01/2014.